

Search Notes**Application/Control No.**

10/518,432

Applicant(s)/Patent under Reexamination

MURRAY ET AL.

Examiner

Rodney P. Swartz, Ph.D.

Art Unit

1645

SEARCHED

| Class | Subclass | Date | Examiner |
|---------|--|-----------|----------|
| 424 | 9.1 9.2 184.1 234.1 248.1 278.1 | 6/18/2007 | RPS |
| 424 | 282.1 | 6/18/2007 | RPS |
| 435 | 69.1 243 | 6/18/2007 | RPS |
| 435 | 253.1 | 6/18/2007 | RPS |
| 530 | 300 350 | 6/18/2007 | RPS |
| 536 | 23.1 23.7 | 6/18/2007 | RPS |
| updated | above | 1/14/2008 | RPS |
| updated | above | 9/18/2008 | RPS |
| update | above | 4/10/2009 | RPS |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

INTERFERENCE SEARCHED

| Class | Subclass | Date | Examiner |
|-------|----------|------|----------|
| | | | |
| | | | |
| | | | |
| | | | |

**SEARCH NOTES
(INCLUDING SEARCH STRATEGY)**

| | DATE | EXMR |
|---|-----------|------|
| biosis caba caplus lifesci medline | 6/18/2007 | RPS |
| updated above | 1/14/2008 | RPS |
| updated above | 9/18/2008 | RPS |
| PALM - inventor name new SEQ ID search | 4/10/2009 | RPS |
| | | |
| | | |
| | | |
| | | |